
This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

revisions											
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED						
1		released for production.	10/7/2016	DPD	JAG						



NOTE: REFERENCE FIGURE 62-28.

										IKI			
ASSY QTY	ASSY QTY	B/O	Part #	TINU	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	Market de	TITLE DRIVE LINK ASSEMBLY -			
QIY	QII	-, -		QIY					IIILE				
			RB429WA-MM-62-28-1-7	1	WORKAID ITEM No. 1			1		BUSHING REPLACEMENT			
			RB429WA-MM-62-28-2-7	1	WORKAID ITEM No. 2			1	DWG NO.	RBT18010			
			RB429WA-MM-62-28-3-7	1	WORKAID ITEM No. 3			1	MAT'L	UNLESS OTHERWISE SPECIF			
			RB429WA-MM-62-28-4-7	1	WORKAID ITEM No. 4			1	HEAT			MENSIONS ARE IN INCHES	
			-1	1	PLACARD	PLASTIC		2	HEAT TREAT FINISH		.XX ± .01 ANGLES ±.5° .X ± .1 SURFACES = 125/		
		B/O	-3	1	ВОТТОМ ГОАМ	ETHAFOAM 220, BLACK	1.40 X 4.10 X 8.10 (CASE SOLUTIONS)	3	SPEC		1. BREAK ALL SHARP EDGES		
			-5	1	TOP FOAM CUSHION	ETHAFOAM 220, BLACK	.83 X 4.56 X 8.56 (CASE SOLUTIONS)	4	DRAWN BY: CHECKED:	DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL BELL 429		
		B/O	-7	1	CASE	PLASTIC	PELICAN #APP-1060-E	N/S	OPPS APPR:	CLOUGH			
		B/O	-9	1	LANYARD	COATED STEEL	Ø1/16 X 2 (CARR LANE #CL-2-C)	1	QA APPR:	LINDSAY			
		B/O	-11	2	FERRULE	ALUMINUM	Ø1/16 X 3/8 (MCMASTER-CARR #3896T31)	1	APPROVED:	GILBERT			
		B/O		1	DART PLACARD	ALUMINUM	RB41011	1	SCALE	1:3 DATE 9/2	29/2016	SHEET 1 OF 4	

REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. DESCRIPTION INITIAL APPROVED REV ECR DATE BLACK BACKGROUND WITH -4X R.13 WHITE LINES & LETTERS RBT18010 ITEM PART NUMBER DESCRIPTION 1 RB429WA-MM-62-28-1-7 WORKAID ITEM No. 1 1 2 RB429WA-MM-62-28-2-7 WORKAID ITEM No. 2 1 RB429WA-MM-62-28-3-7 WORKAID ITEM No. 3 1 RB429WA-MM-62-28-4-7 WORKAID ITEM No. 4 1 4.00 2 5.00 NOTE: USE PDF. TITLE DRIVE LINK ASSEMBLY -**BUSHING REPLACEMENT** DWG NO. REV RBT18010-1 MAT'L PLASTIC UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
.XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ±1° SURFACES = 125/ SPEC 1. BREAK ALL SHARP EDGES .015 x 45 'OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 DRAWN BY: DUERFELDT CHECKED: CLOUGH OPPS APPR: ANDERSON QA APPR: LINDSAY USED ON MODEL APPROVED: GILBERT **BELL 429 PLACARD** SCALE 1:2 9/29/2016 SHEET 2 OF 4

